

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.01.2021, Revision 11.01.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

febi 101140 Engine Oil 0W-40 Article number: 101140, 101141, 101142, 101143, 101144 UFI: DA31-T949-N00J-RK70

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Engine oil

None known.

Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com

1.2.2 Uses advised against

1.3 Details of the supplier of the safety data sheet Company Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY

E-mail info@febi.com
Address enquiries to
Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number Advisory body

+49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

Skin Sens. 1: H317 May cause an allergic skin reaction.

2.2 Label elements

Hazard pictogramsThe product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).Hazard pictogramsWARNINGSignal wordWARNINGContains:C14-16-18 Alkyl phenolHazard statementsH317 May cause an allergic skin reaction.Precautionary statementsP101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P261 Avoid breathing mist/vapours/spray.
P280 Wear protective gloves / eye protection / face protection.
P333+P313 If skin irritation or rash occurs: Get medical advice / attention.

P501 Dispose of contents/container in accordance with local/national regulation.

2.3 Other hazards

Human health dangers	Frequent persistent contact with the skin can cause skin irritation.
Environmental hazards	Does not contain any PBT or vPvB substances.
Other hazards	none

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.01.2021, Revision 11.01.2021

Version 04. Supersedes version: 03 Page 2 / 12

3.2 Mixtures

	Range [%]	Substance	
	60 - < 100 Destillates (petroleu		eum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
			EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
		GHS/CLP: Asp. To	
	5 - < 15	branched hexatria	
	0 110		I, EINECS/ELINCS: 417-070-7, EU-INDEX: 601-064-00-8, Reg-No.: 01-0000016388-62-XXXX
		GHS/CLP: Aquation	
	1 . 25	•	
	1-< 2,5		hylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate)
			EINECS/ELINCS: 298-577-9, Reg-No.: 01-2119543726-33-XXXX
			it. 2: H315 - Eye Dam. 1: H318 - Aquatic Chronic 2: H411
	1 - < 2,5	Bis(nonylphenyl)ar	
			EINECS/ELINCS: 253-249-4, Reg-No.: 01-2119488911-28-XXXX
		GHS/CLP: Aquation	c Chronic 4: H413
	1 - < 2,5	C14-16-18 Alkyl pl	henol
		CAS: 1190625-94	-5, EINECS/ELINCS: 931-468-2, Reg-No.: 01-2119498288-19-XXXX
		GHS/CLP: Skin Se	ens. 1B: H317 - STOT RE 2: H373
	Comment on com	ponent parts	This product contains one or more components that are not included in the Inventory of Existing Chemical Substances Produced or Imported in China (IECSC). Substances of Very High Concern - SVHC: substances are not contained or are below 0.1% For full text of H-statements: see SECTION 16.
-			
C	TION 4: First aid	measures	
	Description of fi	ret aid maaaura	
	•		
	General information	on	Change soaked clothing.
	Inhalation		Ensure supply of fresh air. In the event of symptoms seek medical treatment.
	Skin contact		In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion		Consult a doctor immediately.
	ingestion		Do not induce vomiting. Rinse out mouth and give plenty of water to drink.
	Most important	symptoms and e	effects, both acute and delayed
			No information available.
	Indication of any	y immediate med	dical attention and special treatment needed
			Treat symptomatically.
			Forward this sheet to your doctor.
C	TION 5: Fire-fight	ing measures	
	Extinguishing m	nedia	
	Suitable extinguis		foam, dry powder, water spray jet, carbon dioxide
	-	-	
	Extinguishing mee be used	dia that must not	Full water jet
			e substance or mixture
	Special hazards	arising from the	
2	Special hazards	arising from the	
2	Special hazards	arising from the	Not combusted hydrocarbons.
2	Special hazards	arising from the	



Fer	Ferdinand Bilstein GmbH + Co. KG			
Date	e printed 11.01.2021, Revision 11.01.2021	Version 04. Supersedes version: 03 Page 3 / 12		
5.3	Advice for firefighters	Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.		
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.		
SEC	TION 6: Accidental release measu	res		
6.1	Personal precautions, protective	equipment and emergency procedures		
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.		
6.2	Environmental precautions			
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.		
6.3	Methods and material for contain	ment and cleaning up		
		Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.		
6.4	Reference to other sections			
		See SECTION 8+13		
SEC	TION 7: Handling and storage			
7.1	Precautions for safe handling			
		Avoid formation of aerosols.		
		Do not smoke. Fire class (DIN EN 2): B		
		Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.		
7.2				
		Keep only in original container. Prevent penetration into the ground.		
		Do not store together with oxidizing agents.		
		Keep container tightly closed. Keep container in a well-ventilated place.		
7.3	Specific end use(s)	See product use, SECTION 1.2		



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.01.2021, Revision 11.01.2021

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
Long-term exposure: 5 mg/m ³ , oil mist
Short-term exposure (15-minute): 10 mg/m ³

DNEL

Substance	
Bis(nonylphenyl)a	mine, CAS: 36878-20-3
Industrial, dermal,	Long-term - systemic effects: 5 mg/kg bw/day.
general populatior	n, oral, Long-term - systemic effects: 0,25 mg/kg bw/day.
general populatior	n, dermal, Long-term - systemic effects: 2,5 mg/kg bw/day.
Destillates (petrol	eum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, dermal,	Long-term - systemic effects: 1 mg/kg bw/day.
Industrial, inhalati	ve, Long-term - local effects: 5,6 mg/m ³ .
Industrial, inhalati	ve, Long-term - systemic effects: 2,7 mg/m ³ .
general populatior	n, oral, Long-term - systemic effects: 0,74 mg/kg bw/day.
Zinc bis[O-(6-metl	hylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate), CAS: 93819-94-4
Industrial, dermal,	Long-term - systemic effects: 0,58 mg/kg bw/day.
Industrial, inhalati	ve, Long-term - systemic effects: 8,31 mg/m ³ .
general populatior	n, oral, Long-term - systemic effects: 0,24 mg/kg bw/day.
general populatior	n, dermal, Long-term - systemic effects: 0,29 mg/kg bw/day.
general populatior	n, inhalative, Long-term - systemic effects: 2,11 mg/m ³ .
C14-16-18 Alkyl p	henol
Industrial, dermal,	Long-term - systemic effects: 0,3 mg/kg bw/day.
Industrial, inhalati	ve, Long-term - systemic effects: 1,17 mg/m ³ .

PNEC

Substance
Bis(nonylphenyl)amine, CAS: 36878-20-3
seawater, 0,01 mg/l.
sewage treatment plants (STP), 1 mg/l.
sediment (freshwater), 132000 mg/kg.
freshwater, 0,1 mg/l.
sediment (seawater), 13200 mg/kg.
soil, 263000 mg/kg.
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9,33 mg/kg.
Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate), CAS: 93819-94-4
soil, 0,005 mg/kg.
sediment (seawater), 0,001 mg/kg dw.
sediment (freshwater), 0,012 mg/kg dw.
sewage treatment plants (STP), 100 mg/l.
seawater, 0,004 mg/l.
freshwater, 0,004 mg/l.



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.01.2021, Revision 11.01.2021

Version 04. Supersedes version: 03

Page 5 / 12

ıl (food), 10,67 mg/kg.	
4-16-18 Alkyl phenol	
diment (seawater), 426,62 mg/kg.	
diment (freshwater), 0,1 mg/l.	
diment (seawater), 0,01 mg/l.	
Jiment (freshwater), 4266,16 mg/kg.	
l, 852,58 mg/kg.	
l (food), 3,3 mg/kg.	
wage treatment plants (STP), 100 mg/l.	

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	If there is a risk of splashing: safety glasses
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.01.2021, Revision 11.01.2021

Version 04. Supersedes version: 03 Page 6 / 12

SECTION 9: Phy	sical and chemic	al properties
----------------	------------------	---------------

9.1 Information on basic physical and chemical properties

Physical state	liquid
Color	light brown
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	> 200
Flammability (solid, gas) [°C]	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/ml]	0,842 (15 °C / 59,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	> 20,5 mm²/s (40° C) 14 mm²/s (100°C) (DIN 51562/T1)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

Pour point: -36°C

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.01.2021, Revision 11.01.2021

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Product

oral, Based on the available information, the classification criteria are not fulfilled .:

 Substance

 Bis(nonylphenyl)amine, CAS: 36878-20-3

 LD50, oral, Rat: >5000 mg/kg (OECD 401).

 Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7</td>

 LD50, oral, Rat: > 5000 mg/kg.

 branched hexatriacontane, CAS: 151006-62-1

 LD50, oral, Rat: >5000 mg/kg bw (OECDE 401).

 Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate), CAS: 93819-94-4

 LD50, oral, Rat: 2600 mg/kg.

 C14-16-18 Alkyl phenol

LD50, oral, Rat (female): >2000 mg/kg bw.

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.:

Substance
Substance

Bis(nonylphenyl)amine, CAS: 36878-20-3

LD50, dermal, Rat: >2000 mg/kg (OECD 402).

Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7

LD50, dermal, Rabbit: > 2000 mg/kg.

LC50, dermal, Rat: 2,18 mg/l.

branched hexatriacontane, CAS: 151006-62-1

LD50, dermal, Rat: >2000 mg/kg bw (OECDE 402).

Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate), CAS: 93819-94-4

LD50, dermal, Rabbit: >3160 mg/kg bw/day.

C14-16-18 Alkyl phenol

LD50, dermal, Rat: >2000 mg/kg bw.

Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled .:

Substance	
branched hexatriacontane, CAS: 151006-62-1	
LC50, inhalative, Rat: >5,06 mg/l air (OECDE 403).	
Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate), CAS: 93819-94-4	
LC50, inhalative, Rat: >2 mg/l.	

Serious eye damage/irritation

Toxicological data of complete product are not available. No classification. CAS 93819-94-4: > 10% - <=12,5% Eye Irrit. 2: Classification was carried out based on substance-specific concentration limits. Calculation method



Ferdinand Bilstein GmbH + Co. KG

printed 11.01.2021,	Revision 11.01.2021	Version 04. Supersedes version: 03 Page	e 8 / 12
Skin corrosion/irri	itation	Based on the available information, the classification criteria are not fulfilled.	
Respiratory or ski	n sensitisation	Toxicological data of complete product are not available. May cause an allergic skin reaction. Calculation method	
Specific target org single exposure	gan toxicity —	Based on the available information, the classification criteria are not fulfilled.	
Specific target org		Based on the available information, the classification criteria are not fulfilled.	
Mutagenicity		Based on the available information, the classification criteria are not fulfilled.	
Reproduction toxi	city	Based on the available information, the classification criteria are not fulfilled.	
	Substance		
	branched hexatriaco	ontane, CAS: 151006-62-1	
	NOAEL, Rat: 1000 n	mg/ kg bw/d.	
Carcinogenicity		Based on the available information, the classification criteria are not fulfilled.	
Aspiration hazard		Based on the available information, the classification criteria are not fulfilled.	
General remarks			
		Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The	

toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.01.2021, Revision 11.01.2021

SECTION 12: Ecological information

12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled .:
Substance
Bis(nonylphenyl)amine, CAS: 36878-20-3
EC50, (48h), Daphnia magna: >100 mg/l (OECD 202).
LC0, (96h), Brachidanio rerio: 58 mg/l (OECD 203).
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EL50, (24h), Daphnia magna: > 10000 mg/l.
NOELR, (14d), Oncorhynchus mykiss: >= 1000 mg/l.
LL50, (96h), Pimephales promelas: >100 mg/l.
NOEL, (72h), Pseudokirchneriella subcapitata: >= 100 mg/l.
NOEL, (21d), Daphnia magna: 10 mg/l.
branched hexatriacontane, CAS: 151006-62-1
IC50, (24h), Oncorhynchus mykiss: >1000 mg/l (OECD 203).
NOEC, (96h), Pseudokirchneriella subcapitata: >1000 mg/l (OECD 201).
NOEC, (48h), Daphnia magna: >1000 mg/l (OECD 202).
Zinc bis[O-(6-methylheptyl)] bis[O-(sec-butyl)] bis(dithiophosphate), CAS: 93819-94-4
EC50, (72h), Selenastrum capricornutum: 2,1 mg/l.
EC50, (3h), Activated sludge: >10000 mg/l.
EC50, (48h), Daphnia magna: 5,4 mg/l (OECD 202).
IC50, (21d), Daphnia magna: >0,8 mg/l.
LL50, (96h), Oncorhynchus mykiss: 4,5 mg/l.
C14-16-18 Alkyl phenol
LC50, (96h), Cyprinus carpio: >100 mg/l.
EC50, (72h), Pseudokirchneriella subcapitata: >100 mg/l.
EC50, (24h), Daphnia magna: >100 mg/l.
NOEC, (72h), Pseudokirchneriella subcapitata: 100 mg/l.
NOELR, (24h), Daphnia magna: >100 mg/l.

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.01.2021, Revision 11.01.2021

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Ecological data of complete product are not available. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product	
		In according to RoHS! Coordinate disposal with the disposal contractor/authorities if necessary. Dispose of as hazardous waste.
	Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
	Contaminated packaging	
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
	Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances
SEC	TION 14: Transport information	
14.1	UN number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.2	UN proper shipping name	
	Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.01.2021, Revision 11.01.2021

Version 04. Supersedes version: 03	Page 11 / 12
------------------------------------	--------------

14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
NSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2020)
ONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
serve employment restrictions eople	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.
C (2010/75/CE)	0 %
	REGULATIONS ISPORT-REGULATIONS ONAL REGULATIONS (GB): serve employment restrictions eople

15.2 Chemical safety assessment

not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.01.2021, Revision 11.01.2021

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

- H411 Toxic to aquatic life with long lasting effects.
- H318 Causes serious eye damage.
- H315 Causes skin irritation.
- H413 May cause long lasting harmful effects to aquatic life.
- H317 May cause an allergic skin reaction.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H304 May be fatal if swallowed and enters airways.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

- EC50 = Median effective concentration
- ECB = European Chemicals Bureau
- EEC = European Economic Community
- EINECS = European Inventory of Existing Commercial Chemical Substances
- EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

- EmS = Emergency Schedules
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- IATA = International Air Transport Association
- IBC-Code = International Code for the Construction and Equipment of Ships carrying
- Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

- IUCLID = International Uniform ChemicaL Information Database
- IVIS = In vitro irritation score
- LC50 = Lethal concentration, 50%
- LD50 = Median lethal dose
- LC0 = lethal concentration, 0%
- LOAEL = lowest-observed-adverse-effect level
 - LL50 = Median lethal loading
- LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Skin Sens. 1: H317 May cause an allergic skin reaction. ()

Modified position

Classification procedure

SECTION 3 been added: branched hexatriacontane