

according to Regulation (EG) No. 1907/2006

1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier Trade Name:

VAICO AdBlue®

VAICO No.: V60-0104, V60-0129, V60-0130, V60-0269, V60-0270

1.2. Relevant identified uses of the mixture and uses advised against Used as the agent in motor industry for purification of exhaust gas from oil engines with the method of Selective Catalytic Reduction (SCR).

1.3. Details of the supplier of the safety data sheet

1.3.1. Manufacturer/Supplier VIEROL AG | Karlstraße 19 | 26123 Oldenburg | Germany Telefon +49 441 - 210 20-0 | Telefax +49 441 - 210 20-111

1.4. Informing department VIEROL AG | Karlstraße 19 | 26123 Oldenburg | Germany Telefon +49 441 - 210 20-0 | Telefax +49 441 - 210 20-111

1.5. Emergency telephone number Chief Dispatcher Alarm telephone no: + 48 91 317 1616 (24h) Telephone no: + 48 91 317 4201 (24h)

2. HAZARDS IDENTIFICATION

2.1. Classification of the mixture

According to Regulation (EC) No 1272/2008 and Council Directive 67/548/EWG the mixture is not classified as a dangerous.

2.1.1. Human Heath effects

Skin effect	Longer contact may cause skin irritation
Eyes effect	Longer contact may cause serious eye irritation. Remove contact lenses.
Swallowing	Ingestion of a larger amount (above 50 g) leads to gastrointestinal discomforts.
Inhalation	High concentration of airborne dust may cause nose irritation and irritation of the upper respiratory
tract.	
Long - term effects	No negative effects are known.
Fire and products of	Inhalation of gases coming from thermal decomposition may cause irritation
thermal decomposition	and caustic action for the respiratory system. Influence on lungs may occur over some time.
Fire and warming	Urea decomposes when heating producing ammonia. In case of fire toxic
	gases containing ammonia, carbon dioxide and nitric oxides - NOx may be released

2.2. Label elements

According to Regulation (EC) No 1272/2008 and Council Directive 1999/45/EC the mixture is not classified as dangerous.

2.3. Other hazards

Component of mixture – urea – do not meet the criteria neither for a PBT nor a vPvB substance.



VERSION 01/2015

3. COMPOSITION / INFORMATION ON INDEGREDIENTS

3.1. Mixtures:

Aqueos solution containing containing urea 32,2%.

Ingredient	CAS number	EC number	The approximate amount of the component
Urea	57-13-6	200-315-5	32,5 %

Registration number: 01-2119463277-33-0044

4. FIRST AID MEASURES

4.1. Description of first aid measures

Skin contact:Rinse contaminated area with plenty of water. Remove contaminated clothing and wash before reuse. If irritation
persists seek medical attention.Eye contact:Wash thoroughly with water for at least 10 minutes. Obtain medical attention.

Swallowing Wash out mouth with water. Do not induce vomiting. If patient is conscious, give water to drink. If patient feels unwell seek medical attention.

- **4.2. Most important symptoms and effects, both acute and delayed** Acute and delayed symptoms and effects do not occur in normal conditions of use (see section 11).
- **4.3.** Indication of any immediate medical attention and special treatment needed No data.

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media Apply the best known means to extinguish fire. No data

5.2. Special hazards arising from the mixture

Call the fire brigade. Avoid inhalation of fumes (they are toxic). Evacuate against the wind or in the direction perpendicular to the wind. If water containing a dissolved product is released to sewage or waters, inform local authorities immediately.

5.2.1. Contact with skin

- Skin having contact with a melted material to be washed with a large amount of water.
- Provide medical attention.
- 5.2.2. Inhalation
 - Remove the injured from area endangered with toxic gases.
 - Provide the injured warmth and calmness.

Persons exposed to inhalation of gases being products of decomposition should be provided with immediate medical attention.

5.3. Advice for firefighters

When fighting fire (connected with water evaporation, thermal decomposition of urea and release of fumes) wear:

- insulating equipment with compressed air protecting respiratory system
- gas-tight clothes

Use plenty of water. Stay facing fire, always back to wind. Do not let the product enter sewer.

Z

Quality brand of VIEROL AG · Germany



6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures Wear suitable protective clothing.

6.2. Environmental precautions

Pay attention to avoid pollution of waters or sewage ducts and inform proper authorities in case of their accidental pollution.

6.3. Methods and material for containment and cleaning up

If only it is possible the spilled product should be immediately removed and placed in a clean, marked container. As a absorbent material use sand, dry soil or another non inflammable material. Place the gathered material in a marked container, not causing dusting. Depending of the degree and character of pollution use the gathered product as the liquid fertilizer for agricultural purposes or give over to a specialized firm for neutralization.

6.4. Reference to other sections

See section 13 for waste disposal.

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin, eyes and clothes. Near the place of work install protection showers and eyes washers. When handling the product wear proper protective clothes and protective gloves.

7.2. Conditions for safe storage, including any incompatibilities

Do not store in temperature above 30°C Store the product in tightly closed tanks or containers, in a separate, marked place, situated on a tray delimited with a wall allowing to receive the full volume of tanks or containers.

7.3. Specific end use(s)

No specific use is identified. Component of mixture – urea – is not classified as a dangerous substance. Exposure scenarios have not been made.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Values for component: urea

DNEL¹s for workers

DREE 3 TOT WORKERS		
Acute - systemic effects	Dermal	580 mg/kg bw/d
Acute - systemic effects	Inhalation	292 mg/m ³
Long-term - systemic effects	Dermal	580 mg/kg bw/d
Long-term - systemic effects	Inhalation	292 mg/m ³

DNELs for general population

DINCES IOI general population		
Acute - systemic effects	Dermal	580 mg/kg bw/d
Acute - systemic effects	Inhalation	125 mg/m³
Acute - systemic effects	Oral	42 mg/kg bw/d
Long-term - systemic effects	Dermal	580 mg/kg bw/d
Long-term - systemic effects	Inhalation	125 mg/m³
Long-term - systemic effect	Oral	42 mg/kg bw/d

PNEC²

PNEC aqua (freshwater)	0.047 g/L

8.2. Exposure controls

When handling the product for a longer time, wear proper protective gloves.

Before having meals, smoking and after finishing work wash carefully the hands, arms, and face.

Z Ш



9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Properties of urea solution

Faint smell of ammonia
Transparent liquid
ca 10 (basic reaction)
-10,5 °C
Decomposition in temp. 100 °C
Non flammable
6,4 kPa (48 mm Hg) in 20 °C
ca 1.09 g/cm3 in 20 °C
Unlimited
ca 1,383
None

Properties of mixtures component (urea)

Physical state at 20 °C and 1013 hPa	Solid
	Odorless
Melting / freezing point	407 K at 1013 hPa
Boiling point (at 1013 hPa)	Urea decomposes before reaching the boiling point.
Relative density	1330 at 20 °C
Vapour pressure	0.002 Pa at 298 K
Water solubility	624000 mg/L at 20 °C
Partition coefficient n-octanol/water (log value)	Log Kow (Pow): -1.73 at 20 °C
Surface tension	Not applicable due to the chemical structure.
Flammability	Non flammable
Flash point	The substance decomposes at the melting point.
Self-ignition temperature	No evidence of self-ignition property of urea.
Explosive properties	No explosive properties.
Oxidising properties	No oxidising properties.
Stability in organic solvents and identity	The stability of the substance in organic solvents is not a critical property.
of relevant degradation products	
Granulometry	Fraction 1 – 3 mm min. 90%
Dissociation constant	Above 0.6 (pKb)
Viscositv	The substance is a solid at room temperature.

9.2. Other information

¹ DNEL Derived No-Effect Level

² PNEC Predicted No-Effect Concentration

Z

SAFETY DATA SHEET



10. STABILITY AND REACTIVITY

10.1. Reactivity

Non reactive during storage, handling and application in normal conditions.

10.2. Chemical stability

Stable during storage, handling and application in normal conditions.

10.3. Possibility of hazardous reactions Unknown.

10.4. Conditions to avoid

Heating over 100 °C temperature Welding or heat treatment of devices on the installation where the urea solution may be present before earlier thoroughly washing it in order to remove any rests of urea.

10.5. Incompatible materials

Strong oxidants, acids, alkalis, nitrates, calcium hypochlorite or sodium hypochlorite.

10.6. Hazardous decomposition products

Ammonia - NH_{3} , nitric oxides NO_x and carbo oxides (CO, CO_2). Urea in solution reacts with calcium or sodium hypochlorite creating explosive nitrogen trichloride.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Values for component: urea

values for component. un	u a	
Acute toxicity	LD503 (oral)	14300 mg/kg bw – rat (Wistar) male/female
Irritation	Skin	not irritating – human, rabbit (New Zealand White),
		mouse (Nude MF1h)
	Eye	not irritating – rabbit (Vienna White)
Corrosivity	-	Human and animal data show that urea is not corrosive.
	Skin	not sensitizing — naturally present at relatively high concentrations
		in human skin (up to 1% by weight)
Sensitization	Respiratory	not sensitizing
Repeated dose toxicity	NOAEL ⁴ (oral)	2250 mg/kg bw/day (rat, mouse)
Mutagenicity	-	Genetic toxicity: negative
Carcinogenicity	NOAEL (oral)	2250 mg/kg bw/day (NCI screening studies in the rat and mouse)
Toxicity for reproduction	LOAEL ⁵	500 mg/kg bw/day

11.2. Other information:

³ LD50 Median Lethal Dose.

⁴ NOAEL No Observed Adverse Effect Level

⁵ LOAEL Lowest Observed Adverse Effect Level

Z

Quality brand of VIEROL AG · Germany

12. ECOLOGICAL INFORMATION



12.1. Toxicity

Component of mixture does not fulfill the T criteria.

12.1.1. Values for component: urea

Aquatic compartment (including sediment)

Short-term toxicity to fish	LC50 ⁶ for freshwater fish: 6810 mg/L
Long-term toxicity to fish	Urea is of inherently low toxicity to fish species: it is a normal
	product of protein catabolism.
Short-term toxicity to aquatic invertebrates	EC50 ⁷ /LC50 for freshwater invertebrates: 10000 mg/L
	(Daphnia, freshwater snails and Aedes egypti larvae)
Long-term toxicity to aquatic invertebrates	Urea is of inherently low toxicity to species of aquatic
	invertebrates and exposure will be limited by the action of microorganisms
	and incorporation of urea into the urea cycle.
Algae and aquatic plants	EC10/LC10 or NOEC for freshwater algae: 47 mg/L – bluegreen algae.
Sediment organisms	The very high water solubility of urea and low adsorption
-	additionally indicates very low exposure to sediment organisms.
Other aquatic organisms	No data are available
Toxicity to aquatic microorganisms	The 72 hour toxicity threshold of Entosiphon sulcatum to urea
	was 29 mg/l, and the 16 hour toxicity threshold of urea to
	Pseudomonas putida was > 10000 mg/L.
Terrestrial compartment	
Toxicity to soil macro-organisms	Application of urea (in common with other nitrogen fertilizers)
	releases ammoniacal-N which is nitrified to nitrate: an acidic
	species that causes gradual lowering of soil pH unless the effect
	is counteracted by lime application. This is not a direct effect of
	exposure to urea.
Toxicity to terrestrial plants	Low toxicity to plants is predicted: the substance is widely used
	as a fertilizer and therefore has a beneficial effect on plant growth.
Toxicity to soil micro-organisms	Urea is of inherently low toxicity to microorganisms as it is
-	utilized as a nutrient and nitrogen source.
Toxicity to other terrestrial organisms	No data are available.

12.1.2. Atmospheric compartment

No data are available.

Toxicity to mammals

12.1.3. Non compartment specific effects relevant for the food chain (secondary poisoning) Toxicity to birds A waiver is proposed on exposure grounds.

No additional data are available; low toxicity is predicted on a base of the physiological production of urea by mammalian species.

12.2. Other information:

⁶ LC50 Lethal concentration
⁷ EC50 Half maximal effective concentration

12.3. Persistence and degradability

Component of mixture does not fulfill the P or vP criteria.

12.4. Bioaccumulative potential

Component of mixture does not fulfill the B or vB criteria.

12.5. Mobility in soil Highly biodegradable in soil and in water.

- **12.6. Results of PBT and vPvB assessment** Component of mixture is neither a PBT nor a vPvB substance.
- 12.7. Other adverse effects No data.

SAFETY DATA SHEET



13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Remains of the product, including packaging waste, should be transferred to the specialized companies with an appropriate waste management permit.

Depending on a degree and type of contamination, the product is either used as a fertilizer for agricultural purposes or transferred to the specialized company for neutralization.

In case of spill of fertilizer - see Section 6 of the safety data sheet.

14. TRANSPORT INFORMATION

- 14.1. UN number
 - Not applicable.
- **14.2. UN proper shipping name** Not applicable.
- 14.3. Transport hazard class(es) Not applicable.
- **14.4. Packing group** Not applicable.
- **14.5. Environmental hazards** Not applicable.
- **14.6.** Special precautions for user Not applicable.
- 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. REGULARY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the mixture.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EEC and 2000/21/EC. (Official Journal of the European Union of 30.12.2006, L 396. with later changes)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (Official Journal of the European Union of 31.12.2008, L 353. with later changes)

15.2. Chemical safety assessment

The chemical safety assessment has been made.

16. OTHER INFORMATION

Training Changes Employees should be trained in the scope of proper mixture handling. Read the safety data sheet before use. Section 1.

Z