



## 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Trade Name:

# VAICO ATF MB17

VAICO No.:

V60-0345, V60-0346, V60-0387, V60-0347, V60-0348, V60-0349

### 1.2. Informing department

VIEROL AG | Karlstraße 19 | 26123 Oldenburg | Germany

Telefon +49 441 - 210 20-0 | Telefax +49 441 - 210 20-111

## 2. PROPERTIES

- Maximum fuel economy
- Outstanding wear minimization
- High thermal stability
- Unrivalled viscosity-temperature behavior
- Excellent oxidation stability
- Extreme wear and corrosion protection
- Outstanding cooling capacity

## 3. USE INSTRUCTIONS

- Specially designed for use in new Mercedes-Benz 9-speed automatic transmissions (NAG3)
- Is not suitable for use in older Mercedes-Benz automatic transmissions and is not backward compatible to 236.15, 236.14, 236.12 or 236.10
- Observe manufacturer instructions!

## 4. PERFORMANCE DATA

### 4.1. Fit to\*:

MB 236.16 / 236.17, 002 989 06 03 / A 001 989 92 03

TYPICAL VALUES	METHOD	UNIT	VAICO ATF MB 17
Density at 15°C	DIN 51 757	kg/cm <sup>3</sup>	835
Viscosity at 40°C	DIN 51 562	mm <sup>2</sup> /s	17,10
Viscosity at 100°C	DIN 51 562	mm <sup>2</sup> /s	4,23
Viscosity index (VI)	DIN ISO 2909	-	161
Pour point	DIN ISO 3016	°C	-54
COC flash point	DIN ISO 2592	°C	174
Colour	-	-	yellow-brown

\* conforms to OEM specifications. The above values may vary within commercially accepted tolerances